



CE



## D2 Touch Series

- Robust Construction with high capacity motors and linear guide rails for deeper markings
- All electronics built inside the marking head, saves floor space
- ♦ 120mm x 100mm marking window
- ♦ 2 in 1 machine, Embedded Controller or PC Interface
- ♦ 7" Resistive industrial grade touch screen with attached stylus pen for use
- ErgoTilt touch screen for easy viewing in standing and sitting position
- ♦ Modular Electronic construction for easy and economical maintenance
- ♦ 400mm Column
- Optional Bellows available for protection from dust and ingress
- Multiple Accessories to choose for machine customization
- ◆ D2 Touch 2 axis machine easily up-gradable to 3 axis
- ◆ D2 Touch Plus 3 axis machine easily up-gradable to 4 axis



D2 Touch



Electric Z Axis, Auto-Height Adjustment with D2 Touch Plus

♦ Innovative User Interface designed for touch screen, packed with lots of features

D2 Touch Plus


- ♦ Multilingual user interface in 22 different languages
- ♦ Unlimited Design storage facility
- ♦ Easily mark DXF, HPGL and PLT Files for marking logos
- Standard Alphanumeric marking in straight, angled and radial pattern
- QR Code and Datamatrix marking available at no extra cost
- Powerful features of date based code marking, multiple reset options for incrementing counters and many more
- Different marking depths for each block with 1 to 9 force codes
- Easily mark data from Excel file or Database using CSV File Marking feature
- Inputs & Outputs for easy integration with other machines and devices
- ♦ RS232 port for Serial Communication
- Modbus RTU over RS485 for PLC or SCADA communication. Also used for EtherCAT or ProfiNET or similar communications using suitable converters.
- Protect unauthorized access to designs with password protection and production mode working
- Direct output to Barcode Printers over RS232 port
- Record Marking Log for tracking and eliminate manual record keeping



## ICE

- ♦ Entry level 2 Axis machine with Touch Screen
- ♦ Intuitive user interface, very easy to learn
- ♦ Feature rich entry level solution
- ♦ 120mm x 100mm marking window
- ♦ 400mm Column
- Multilingual user interface in 22 different languages
- ♦ Ethernet and Wifi Connectivity with Windows PC/Laptops/Tablets
- Easy connection to existing Intranet networks to avoid keeping a PC on factory floor
- Mark alphanumeric text, Datamatrix or QR Code barcodes
- CSV File Marking, Barcode Printer Interface, record marking log for tracking
- ♦ Inputs & Outputs for easy integration with other machines and devices
- Multiple Accessories to choose for machine customization





2 in 1 machine, Embedded Controller or PC Interface



- 7" Resistive industrial grade touch screen with attached stylus pen for use
- Unlimited Design storage facility
- ♦ Easily mark DXF, HPGL and PLT files for marking logos



## Accessories

**Head Tilting Attachment** 



Auto Name Plate Feeder



180° Rotating Fixture



Foot Pedal



Small Rotary Device



Large Rotary Device



Manual Name Plate Clamping Device



Also available from Monode

МЗ



Traceable-IT



## Monode Marking Products, Inc.

Office

9200 Tyler Blvd., Mentor, OH 44060