

# PORTABLE

- ◆ Robust Construction
- ◆ Pneumatic & Electric Version
- ◆ Compact Sizes
- ◆ Reliable Working
- ◆ Easy to Use



# CONTROLLER










## C2 Controller

- ◆ Strong Steel construction
- ◆ On screen help on every screen
- ◆ 7" Resistive touch screen for industrial use.
- ◆ Mount controller as table top, wall mounted or Panel mounted.
- ◆ Screw type military grade connectors for secure connection.
- ◆ Simple to use and understand user interface
- ◆ Multilingual user interface in 22 different languages, so easy to understand worldwide.
- ◆ Powerful feature of Jog to accurately position tool w.r.t. the work piece
- ◆ Available as Pneumatic or Electric versions
- ◆ Mark alphanumeric text, DXF or PLT logos, Datamatrix or QR Code barcodes.
- ◆ Multiple fonts are available to choose.
- ◆ CSV File Marking, Barcode Printer Interface, record marking log for tracking.
- ◆ Inputs & Outputs for easy integration with other machines and devices.
- ◆ RS232 port for ASCII & Modbus RTU over RS485 for PLC or SCADA communication. Used for EtherCAT / ProfiNET or similar communications using suitable converters.



- ◆ Protect unauthorised access to designs with password protection and production mode working.
- ◆ USB Port for File Transfer



## Portable Marking

- ◆ Most Compact portable markers available in 3 sizes
- ◆ 50x30mm, 80x30mm and 150x50mm
- ◆ Convenient Aluminum handle
- ◆ Electric
- ◆ Linear X & Y Axis for consistent depth across the complete marking window
- ◆ Multiple Stylus Assemblies to choose from depending on application requirements
- ◆ Military grade secure connection to the controller
- ◆ Connecting cables available in multiple lengths to suit application location
- ◆ Combo Column frame available to use portable machines for table top working
- ◆ Machines fitted with front tray as standard accessory



## Deep Marking Portable

- ◆ A handheld marker with robust construction for deep marking applications
- ◆ Available in 150x50mm window size
- ◆ Special Front holding attachment for better grip on the part surface
- ◆ Optional attachment with permanent magnets holding helps free operator hands



## Accessories



Combo Attachment



Stylus



Front Fixture with Magnets



Front Fixture 'V' Groove with Magnets

**Monode Marking Products, Inc.**

**Office:**

9200 Tyler Blvd., Mentor, OH 44060

T: (440) 975-8802 | F: (440) 975-8836

E: sales@monode.com | W: www.monode.com